


edgewood athletics

PERFORMANCE
LAB



ONLINE CATALOGUES





performance athletic flooring

Edgewood Athletics is a Canadian full-service wholesaler of athletic flooring
Businesses look to us for premium products

providing uniquely better solutions to clients in a variety of industries
coupled with strategic execution

Edgewood Athletics products are

- slip resistant
- easy to install
- skate and spike resistant
- scuff and stain resistant
- shock absorbent
- easy to clean
- durable



Perfect for the architect and design community, our **design studio** has all the resources you need for specifying products
Compare product specifications, create and download submittals, and more at edgewoodgroup.archbase.io

Starfield™ Fitness Tile	4	Galaxy Pro Tile	14
Imber™ Fitness Tile	5	Galaxy Fitness Roll	15
Apollo™ Fitness Tile	6	Indoor ST	16
Constellation™ Fitness Tile	7	Indoor ST - Easy Roll	16
Solstice™ DLX 90 Fitness Tile	8	Weightlifting Platform	17
Solstice™ DLX Fitness Tile	10	GymPro® Eco-Roll	18
Solstice™ Fitness Tile	11	GymPro® Eco-Tile	18
Voyager™ Athletic Tile	12	Cleaners, Ramps & More	19
Voyager™ Residential	13		



starfield™



WEIGHT ROOMS • ICE RINKS • FITNESS CENTRES

Starfield™ features a vulcanized, dual-layer construction that has unmatched strength and durability for high-end and high-intensity environments

Formulated for skate, weightlifting, and intense training, Starfield™ dissipates impact and resists cuts and dents. The upper layer is anti-microbial and non-porous, helping keep your floors cleaner



construction	vulcanized recycled and virgin rubber
thickness	6 mm, 8 mm, 10 mm
total weight	1 m x 1 m: 23–38 lb/tile
	37.7" x 37.7" : 21–31 lb/tile
	4' x 30' : 2.4–3.2 lb/sq. ft
	4' x 50' : 1.8 lb/sq. ft
colour(s)	5 colours
warranty	athletic facilities - 10 year ice arenas - 5 year
recycled content	55% recycled content in base layer

sizes


straight edge
1 m x 1 m (10.76 sq. ft/tile)
interlocking
37.7" x 37.7" (9.87 sq. ft/tile)
rolls
4' x 30'
4' x 50' (6 mm only)



20 ECLIPSE



27 EVE



12 UMBRA



43 TIDE



25 MOON



Starfield™ Eve



imber™



WEIGHT ROOMS • ICE RINKS • FITNESS CENTRES

Imber™ is engineered for high-performance: dissipating impact and resisting cuts and dents in skate, weightlifting, and intense training environments

The vulcanized, dual-layer construction gives Imber™ unparalleled resilience and traction. The anti-microbial and non-porous surface helps keep your floors cleaner



Imber™ Eve & Eclipse




construction	vulcanized recycled and virgin rubber
thickness	6 mm, 8 mm, 10 mm
total weight	1 m x 1 m: 23–38 lb/tile
	37.7" x 37.7" : 21–31 lb/tile
	4' x 30' : 2.4–3.2 lb/sq. ft
	4' x 50' : 1.8 lb/sq. ft
colour(s)	5 colours
warranty	athletic facilities - 10 year ice arenas - 5 year
recycled content	55% recycled content in base layer

sizes


straight edge
1 m x 1 m (10.76 sq. ft/tile)
interlocking
37.7" x 37.7" (9.87 sq. ft/tile)
rolls
4' x 30'
4' x 50' (6 mm only)




20 ECLIPSE




27 EVE



12 UMBRA



15 DAWN



25 MOON




apolloTM



FITNESS CENTRES • FREE-WEIGHT AREAS • SOUND ABATEMENT

ApolloTM fitness tile is the ideal flooring solution for workout areas located above occupied spaces. This non-laminated, molded tile has superior vibration absorption and unparalleled noise reduction properties



The grid-back design of the 1" tile is engineered to provide increased stability for cardio and weight lifting equipment. The 1.5" and 2.75" tiles provide additional sound reduction for free-weight areas



construction	Polyurethane bonded recycled tires with EPDM colour fleck
ramp weight	1" - 10 lb
	1.5" - 14 lb
	2.75" - 8 lb
total weight	1" - 18 lb
	1.5" - 24 lb
	2.75" - 40 lb
thickness	1", 1.5", 2.75"
colour(s)	Black, 40 additional
warranty	5 year
recycled content	up to 100%

sizes	straight edge
	2' x 2' (4 sq. ft/tile)
ramp sizes	1" x 12" x 36" - Black
	1.5" x 18" x 36" - Black
	2.75" x 11" x 19.5" - Black

Minimum order for coloured tiles



ApolloTM Black with Ramps & Custom Inserts



constellationTM
with ever-flexTM




FITNESS CENTRES • FREE-WEIGHT AREAS

ConstellationTM fitness tile has a low odour, recycled rubber base combined with the easy cleaning Ever-FlexTM wear layer. This extremely durable non-rubber wear layer is available in a 2 or 3 mm thickness

Create your own Ever-FlexTM colour* to enhance your facility





ConstellationTM Dark Grey



construction	High performance rubber backing with Ever-Flex TM wear layer
ramps	Available
total weight	20 lb - 10 mm
thickness	8 mm, 10 mm, 12 mm
colour(s)	4, custom colours available
warranty	5 year
recycled content	up to 80%

sizes	straight edge
	38" x 38" (10 sq. ft/tile)



*Custom colours are available within three to four Pantones. Edgewood Athletics does not guarantee exact colour matching. Minimum order for custom coloured fitness tiles

— low colour: 25% fleck —
— high colour: 75% fleck —



solstice™ dlx 90




FITNESS CENTRES • ICE RINKS • WEIGHT ROOMS • SKI LODGES

Solstice™ Dual-Layer Extreme (DLX) 90 is a high-performance, easy to install solution for high-impact areas and multipurpose applications. The unified colour palette elevates multicolour designs

Made from recycled tires and golf grips, it features a 3 mm or 4 mm high colour top wear layer on extreme backing. The 4 mm wear layer featured on Solstice™ DLX 90S is made to stand up to skate applications

series a



construction	Recycled SBR rubber from scrap tires and proprietary polymer binder	
ramps	Available	
total weight	12.3 lb/sq. ft - 10 mm	
thickness	8 mm, 10 mm, 12 mm	
colour(s)	12 available	
warranty	5 year	
wear layer	Solstice™ DLX 90 - 3 mm / Solstice™ DLX 90S - 4 mm	
recycled content	66-86% post-consumer content	

sizes	straight edge 38" x 38" (10 sq. ft/tile)
	interlocking 36" x 36" (9 sq. ft/tile)

series b




Solstice™ DLX 90 Ersa & Luna

bespoke design

Use our Colour Synthesizer to create a unique design or showcase your brand



Scan or visit edgewoodgroup.ca/colour-synthesizer



Solstice™ DLX Logo in a Rubber Weightlifting Platform

The colour flecks are CMYK representations only and are not for colour matching purposes. Available for select products



solstice™ dlx



FITNESS CENTRES • ICE RINKS • WEIGHT ROOMS • SKI LODGES

Solstice™ dual-layer extreme (DLX) fitness tiles are simple to install and a superior choice for heavy-impact areas and multi-purpose applications. The vibrant top layer gives a dynamic design and the high density base layer, made from recycled tires and golf grips, boosts strength



construction	Polyurethane bonded recycled rubber flooring
ramps	Available
total weight	2.3 lb/sq. ft - 10 mm
thickness	8 mm, 10 mm & 12 mm
colour(s)	4 available, 40 additional
warranty	5 year
wear layer	3 mm, 4 mm
recycled content	varies by thickness

sizes

straight edge
38" x 38"
(10 sq. ft/tile)

interlocking
36" x 36"
(9 sq. ft/tile)

Minimum order for
custom coloured fitness tiles







solstice™



FITNESS CENTRES • ICE RINKS • WEIGHT ROOMS • SKI LODGES

Solstice™ fitness tiles are a simple to install, durable solution for impact areas and multi-purpose applications. This flooring reduces noise, absorbs impact and is environmentally friendly




construction	Polyurethane bonded recycled rubber flooring
ramps	Available
total weight	2.3 lb/sq. ft - 10 mm
thickness	8 mm, 10 mm, 12 mm
colour(s)	5 available, 40 additional
warranty	10 year
wear layer	4 mm
recycled content	up to 100%

sizes

straight edge
38" x 38"
(10 sq. ft/tile)

interlocking
36" x 36"
(9 sq. ft/tile)



50-95% fleck

10% fleck



voyager™



WEIGHT ROOMS • ICE RINKS • FITNESS CENTRES

Voyager™ is homogeneous and cut resistant, making it a strong choice for a long-lasting appearance in a variety of applications



construction PU bonded recycled rubber

thickness 9.5 mm, 12 mm, 15 mm, 19 mm

total weight

24" x 24" x 9.5 mm - 8.0 lb

46" x 69" x 9.5 mm - 44 lb
x 12 mm - 57 lb
x 15 mm - 72 lb

48" x 72" x 9.5 mm - 48 lb
x 12 mm - 62 lb
x 15 mm - 78 lb
x 19 mm - 98 lb

colour(s) 5 colours

warranty 5 year

recycled content 93% (speckled)
100% (black)

sizes

straight edge
48" x 72"
(24 sq. ft/tile)

interlocking
24" x 24"
(4 sq. ft/tile)
46" x 69"
(22 sq. ft/tile)




voyager™ residential



HOME EXERCISE ROOMS • HOME GYMS • RECREATION ROOMS

Voyager™ Residential has all the strengths of our Voyager™ formula optimized for home – light enough to do it yourself, heavy enough to last



22 BLACK



40 BLUE SKY



18 EARTH



25 NIGHT SKY



30 DUSK



Voyager™ Night Sky with Indoor St White & Black

construction PU bonded recycled rubber

thickness 6 mm

total weight

24" x 24" - 6 lb

46" x 69" - 30 lb

48" x 72" - 32 lb

colour(s) 5 colours

warranty 5 year

recycled content 93% (speckled)
100% (black)

sizes

straight edge
48" x 72"
(24 sq. ft/tile)

interlocking
24" x 24"
(4 sq. ft/tile)
46" x 69"
(22 sq. ft/tile)



22 BLACK



40 BLUE SKY



18 EARTH



25 NIGHT SKY



30 DUSK



galaxy pro tile

FITNESS CENTRES • ICE RINKS • HIGH TRAFFIC ATHLETIC FACILITIES

Made from vulcanized recycled rubber, Galaxy™ Pro Tile is formulated to thrive in skate areas and high traffic athletic and fitness facilities

Durable and resilient, this anti-microbial and non-porous design keeps your floors cleaner and makes maintenance easier



construction	Vulcanized 100% recycled rubber
total weight	48" x 72" : 60–70 lb/tile
	46" x 69" : 55–64 lb/tile
	22" x 22" : 8.4–9.8 lb/tile
thickness	3/8", 1/2"
colour(s)	Black
warranty	5 year
recycled content	100%

sizes	straight edge
	48" x 72" (24 sq. ft/tile)
interlocking	22" x 22" (3.36 sq. ft/tile)
	46" x 69" (22 sq. ft/tile)



galaxy

fitness roll



FITNESS CENTRES • GYMNASIUMS

Galaxy fitness roll is a 4' wide athletic flooring roll made from recycled rubber and is resistant to scuffs and stains

While designed for athletic purposes, Galaxy can also be used in utility areas, washrooms and light industrial areas



construction	Recycled rubber from tires and waste rubber
total weight	1.95 lb/sq. ft
thickness	3/8" (9.5 mm)
colour(s)	4 standard, Custom colours available
warranty	5 year
recycled content	Black - 100% Speckle - 90%

sizes	rolls
	4' x 27'



Available in full rolls or custom cuts. See website for up-to-date colour options



indoor ST/easy roll

INDOOR FIELDS • TRAINING FACILITIES

The tough polyethylene face has superior wear resistance and provides a less abrasive surface than nylon or polypropylene

Indoor ST turf system features a 5 mm shock-absorbing foam backing and textured polyethylene for an excellent ball roll

Indoor ST - Easy Roll has DuraPlay backing for flexible loose lay applications. Double-sided tape holds seams together for easy installation/removal



	Indoor ST	Easy Roll
face	48 oz • 58 oz Polyethylene	48 oz Polyethylene
backing	Foam	DuraPlay backing
total weight	0.86 lb/sq. ft 0.91 lb/sq. ft	0.44 lb/sq. ft
thickness	19 mm (3/4")*	14.5 mm (9/16")
colour(s)	— 8 colours —	
warranty	— 8 year —	

sizes
rolls
15' x 50'
15' x 100'

Custom lengths available

*14.5 mm (9/16") pile height
Thicker backing available




Indoor ST Green & White with Voyager™ Black



weightlifting platform

POWERLIFTING STATIONS

The solution to heavy weight drops in fitness centres and home gyms. Our weightlifting platform protects your floors and can be ordered with impact zone sound dampening tiles that reduce noise by up to 30%. Available with maple hardwood center or in full rubber




Platform with hardwood center and insert



Full rubber platform with insert

construction	Multi-layer construction; sound dampening rubber base, rubber impact zone top surface, hardwood center section or full rubber
ramps	Steel frame (for maple hardwood center)
thickness	2.25" (57.15 mm)
colour(s)	Black
warranty	1 year

sizes
6' x 8'



Custom sizes available. Ships in sections, assembly required



GYMNASIUMS • MULTI-PURPOSE ROOMS

Eco-Roll gives you the protection you need when hosting non-athletic events, multiplying the usability of your gymnasium. Its top surface provides a high-end look that is easy to clean while the thermal plastic backing keeps the mat stable and flat

Unlike other roll products that may wrinkle and create tripping hazards, the Eco-Roll will stay flat and smooth when placed properly with the associated Lay-Up Racking System



face material	Recycled PET fibre
face style	Dilour
total weight	0.11 lb/sq. ft
thickness	1/8" (3.175 mm)
colour(s)	Charcoal
warranty	3 year
recycled content	100%

sizes
6' x custom length



eco-roll

GYMNASIUMS • MULTI-PURPOSE ROOMS

Eco-Tile offers a high level of protection for your hardwood floor while withstanding everything from street shoes to chairs. The top surface provides a high-end look that is easy to clean, while the thermal plastic backing keeps the mat stable and flat. The tile system offers great flexibility for how you cover your floor and can be installed quickly

sizes	face material
35" x 70" (17 sq. ft/tile)	Recycled PET fibre
	face style
	Dilour
	total weight
	2.53 kg./sq. m (0.52 lb/sq. ft)
	thickness
	1/4" (6.35 mm)
	colour(s)
	Charcoal
	warranty
	7 year
	recycled content
	22%



eco-tile

protect & enhance

CLEANERS, RAMPS & MORE



cleaners & sealants



Profi™ 3.78 L (1 gal)
Non-ionic oil and grease
remover for cleaning all resilient
and synthetic rubber flooring

Wiwax™ 3.78 L (1 gal)
A unique blend of waxes, polymers
and detergents to effectively clean
and maintain rubber

adhesive



MF Bond It 7.57 L (2 gal)
Install-friendly 1-part chemistry. Engineered for heavy rolling loads and
challenging environments, the waterproof design forms a robust moisture
barrier and can also take the punishment introduced by topical liquids.
See our website for estimated coverage and trowel types

ramps

EDGEWOOD
EXCLUSIVE RAMPS

Ramps designed
with tabs to adhere to
athletic flooring

Heavy Duty: ¼" x 1¼" with 1" tab – 100' lengths*
Super Duty: ⅝" x 1⅝" with 1½" tab – 36' lengths*
UltraFlex: ⅜" x 1⅝" with 1½" tab – 36' lengths*
*Cuts available

CARTSMART RAMPS

Made to withstand cart
traffic and complies
with accessibility
requirements. Designed
to adhere to the subfloor

Regular Duty: ⅜" x 3½" – 12' or 14' length
Heavy Duty: ½" x 4" – 12' or 14' length

installation materials

Double Sided Installation Tape: 2" (50.8 mm) x 75' (22.86 m) - White
Trowel: Spreader #31: 9" x (⅛" x ⅛" x ⅛") square-notched
Seam Holding Tape: 60 mm x 66 m - Red



service hub

18120 109 Ave. NW Edmonton, AB T5S 2K2

T : 780.466.2084 F : 780.468.9104

inquiries@edgewoodgroup.ca

1.800.668.1776