

A photograph of a gym with various exercise machines and weights. The floor is covered in a dark, textured rubber matting. A large black diagonal shape is overlaid on the right side of the image.

sport flooring & accessories

edgewood
athletics



Edgewood's brand promise is borne by the notion that even in situations when most things are equal, there is still opportunity to make a positive difference.

Edgewood strives to be **uniquely better.**

Edgewood is the largest full service wholesaler of matting, athletics and flooring products in Canada.

We specialize in the supply and installation of premium products coupled with excellent customer service. We are a member of the Canada Green Building Council and can assist with projects that are seeking green certification. Many of our products are manufactured with recycled content taken from both post-industrial and post-consumer recycled material.



performance athletic flooring

The Athletics division of Edgewood provides performance athletic flooring for various applications – from ice rinks to fitness areas to other multi-purpose facilities. Regardless of your application, we have the right sport flooring product for you.

Edgewood offers six lines of athletic fitness tile flooring that are FloorScore® certified: Apollo™, Solstice™, Solstice™ DLX, Solstice™ DLX 90, Constellation™ with Ever-flex™ wear layer, Voyager™ Athletic Tile and Voyager™ Residential.

Edgewood's fitness tile and roll products are:

- slip resistant
- easy to install
- skate and spike resistant
- scuff and stain resistant
- shock absorbent
- easy to clean
- durable

Edgewood Athletics also offers specialty athletic flooring products, such as fluid applied flooring, turf roll systems, gym floor protection products and weight lifting platforms.

apollo™ fitness tile



CERTIFIED BY
SCS Global Services

VIBRATION AND SOUND ABSORBING TILES

Apollo™ fitness tile is the ideal flooring solution for workout areas located above occupied spaces. This non-laminated, molded tile has superior vibration absorption and unparalleled noise reduction properties. The grid-back design of the 1 in. tile has been engineered to provide increased stability for cardio and weight lifting equipment. The 1.5 in. tiles provide additional sound reduction for free-weight areas.

PERFECT FOR

FITNESS CENTRES
FREE-WEIGHT AREAS
SOUND ABATEMENT

sizes

2 ft. x 2 ft.

construction

Polyurethane bonded recycled tires with EPDM colour fleck

face style

Smooth

edging

Available

total weight

18 lbs. - 1 in.
24 lbs. - 1.5 in.

thickness

1 in. or 1.5 in.

colour(s)


Black in stock, 40 colours

warranty

5 year




LOW COLOUR SWATCHES: 25% FLECK



BLUE SKY



DUSK



BLUE SKY



DUSK




EARTH



NIGHT SKY




EARTH



NIGHT SKY

HIGH COLOUR SWATCHES: 75% FLECK



Sold in cases of 4 tiles. Minimum order of 20 tiles for all tiles featuring the additional (non-stock) colours.

solstice™ & solstice™ DLX fitness tile



CERTIFIED BY
SCS Global Services

INDOOR FITNESS OR ICE RINK ATHLETIC FLOORING

Solstice™ and Solstice™ dual-layer extreme (DLX) fitness tile are the ultimate athletic flooring — easy to install and an excellent solution for high impact areas and multi-purpose applications. This flooring reduces noise, absorbs impact and is environmentally friendly. Solstice™ DLX fitness tile has a vibrant 4 mm. coloured top layer which allows for an impactful colour design and a high density base layer made from recycled tires and golf grips.

PERFECT FOR

- FITNESS CENTRES
- ICE RINKS
- WEIGHT ROOMS
- SKI LODGES

sizes

38 in. x 38 in. square tiles
(10 sq. ft./tile)

36 in. x 36 in. interlocking tiles
(9 sq. ft./tile)

construction

Polyurethane bonded
recycled rubber flooring

face style

Smooth

edging

Available

total weight

2.3 lbs./sq. ft. - 10 mm.

thickness

8 mm.*, 10 mm.* & 12 mm.*
*non-stock

colour(s)


5 in. stock, 40 additional

warranty

Solstice™ - 10 year /
Solstice™ DLX - 5 year

wear layer

Solstice™ DLX - 4 mm.



SOLSTICE™ SWATCHES: 10% FLECK



BLUE SKY



DUSK



EARTH



NIGHT SKY




BLACK


SOLSTICE™DLX SWATCHES: 50-95% FLECK



BLUE SKY



DUSK



EARTH



NIGHT SKY

Minimum order of 12–18 tiles (depending upon thickness) for all tiles featuring the additional (non-stock) colours.

solstice™ DLX 90 fitness tile



CERTIFIED BY
SCS Global Services

INDOOR FITNESS OR ICE RINK ATHLETIC FLOORING

Solstice™ Dual-Layer Extreme (DLX) 90 is a high-performance, design-focused, and easy to install solution for high impact areas and multipurpose applications. Made from recycled tires and golf grips, it features a 3 mm. or 4 mm. high colour top wear layer on extreme backing. The 4 mm. wear layer featured on Solstice™ DLX 90S is made to stand up to skate applications.

PERFECT FOR

- FITNESS CENTRES
- ICE RINKS
- WEIGHT ROOMS
- SKI LODGES

sizes

38 in. x 38 in.

construction

Recycled SBR rubber from scrap tires and proprietary polymer binder

face style

Smooth with EPDM Flecks

edging

Available

total weight

12.3 lbs./sq. ft. - 10 mm.

thickness

8 mm.* , 10 mm.* & 12 mm.*
*non-stock

colour(s)

12 available

warranty

5 year

wear layer

Solstice™ DLX 90 - 3 mm. /
Solstice™ DLX 90S - 4 mm.

SWATCHES


series a




ERSA




LUNA




TERRA



DIA



JUNO




SCOUT


series b




BARREL




ARCTAS




SKYLARK



MARS



FENRIR



KORE

COLOUR FLECKS FOR APOLLO™ FITNESS TILE, SOLSTICE™ & SOLSTICE™ DLX FITNESS TILE



Create your own custom tile with Edgewood's online mixing tool.

small fleck black = 25%
small fleck denim = 30%
large fleck purple = 45%

colour mix example

The colour flecks are CMYK representations only and are not for colour matching purposes.

constellation™ fitness tile with ever-flex™



CERTIFIED BY
SCS Global Services

FITNESS CENTRE AND ARENA ATHLETIC FLOORING

Constellation™ fitness tile has an Ever-flex™ wear layer combined with a low odour, recycled rubber base and offers an innovative, extremely durable surface that is easy to maintain. This non-rubber wear layer is available in a 2 or 3 mm. thickness. With Constellation™ fitness tile, you can also create your own custom colour* for your facility. The new construction of the surface allows for on-site rejuvenation where more wear layer can be added.

PERFECT FOR

- WEIGHT ROOMS
- FITNESS CENTRES
- MULTI-PURPOSE ROOMS

sizes

38 in. x 38 in. square tiles
(10 sq. ft./tile)

construction

High performance rubber backing
with innovative Ever-flex™ wear layer

face style

Textured surface

edging

Available

total weight

20 lbs. - 10 mm.

thickness

8 mm.*, 10 mm. & 12 mm.*
*non-stock

colour(s)

4 in stock, custom colours available

warranty

5 year

SWATCHES



BLACK




BLUE



DARK GREY



PUTTY



*Custom colours are available within three to four Pantones. Edgewood Athletics does not guarantee exact colour matching. Minimum order for custom coloured fitness tiles is 280 individual tiles.

galaxy fitness roll



CERTIFIED BY SCS Global Services

SHOCK ABSORBENT AND SLIP RESISTANT

Galaxy fitness roll is a high quality sport flooring that is easy to install and maintain. Made from recycled rubber, it is resistant to scuffs and stains and is extremely durable. While perfect for athletic purposes, Galaxy is also appropriate for use in utility areas, washrooms and light industrial areas.

PERFECT FOR

- FITNESS CENTRES
- ICE RINKS
- RUNNING TRACKS
- GYMNASIUMS

sizes

4 ft. x 26.25 ft. rolls

construction

High quality recycled rubber from tires and waste rubber

face style

Smooth

total weight

1.95 lbs./sq. ft.

thickness

3/8 in. (9.5 mm.)


colour(s)

5 in stock,
15 custom colours available


warranty

5 year

Available in rolls or custom cuts



SWATCHES



*in stock colours. Eco Grind Black may contain minor imperfections and skive marks.

voyager™ athletic tile



CERTIFIED BY
SCS Global Services

WEIGHT ROOM AND ARENA ATHLETIC FLOORING

Voyager™ is highly durable, non-absorbent and cut resistant, making it the best recycled rubber for a cleaner, healthier and longer lasting floor.

PERFECT FOR

- WEIGHT ROOMS
- FITNESS CENTRES
- ICE RINKS

sizes

- 22 in. x 22 in. interlocking tiles
- 24 in. x 24 in. interlocking tiles
- 46 in. x 69 in. interlocking tiles
- 48 in. x 72 in.

construction

PU bonded recycled rubber

face style

Smooth

thickness

9.5 mm., 12 mm., 15 mm.

total weight

	9.5 mm. - 6.7 lbs.
22 in. x 22 in.	12 mm. - 8.7 lbs.
	15 mm. - 10.9 lbs.
24 in. x 24 in.	9.5 mm. - 8.0 lbs.
	9.5 mm. - 44 lbs.
46 in. x 69 in.	12 mm. - 57 lbs.
	15 mm. - 72 lbs.
	9.5 mm. - 48 lbs.
48 in. x 72 in.	12 mm. - 62 lbs.
	15 mm. - 78 lbs.

colour(s)


5 colours

warranty

5 year

recycled content

93% (speckled)
100% (black)



SWATCHES



voyager™ residential



CERTIFIED BY
SCS Global Services

HOME FITNESS FLOORING

Voyager™ Residential is the ideal high traction, low odour, impact and sound absorbing fitness tile for those seeking high quality flooring in their personal fitness room. This easy to install and environmentally friendly flooring is highly durable and non-absorbent, perfect for home installation. Available in a retail 8-pack for the 22 in. x 22 in. interlocking tiles.

PERFECT FOR

HOME EXERCISE ROOMS

HOME GYMS

RECREATION ROOMS

sizes

22 in. x 22 in. interlocking tiles
24 in. x 24 in. interlocking tiles
46 in. x 69 in. interlocking tiles
48 in. x 72 in.

construction

PU bonded recycled rubber

face style

Smooth

thickness

6 mm. 7 mm.

total weight

24 in. x 24 in. - 5.2 lbs.	22 in. x 22 in. - 5.2 lbs.
46 in. x 69 in. - 30 lbs.	46 in. x 69 in. - 34 lbs.
48 in. x 72 in. - 32 lbs.	48 in. x 72 in. - 37 lbs.

colour(s)


5 colours

warranty


5 year

recycled content

93% (speckled)
100% (black)



SWATCHES



indoor ST

PREMIUM TURF ROLL SYSTEM

This turf system features a 5 mm. shock-absorbing foam backing and textured polyethylene for an excellent ball roll. Indoor ST is a tough, 36 oz. polyethylene product that provides a much less abrasive surface than nylon or polypropylene and has superior wear resistance.

PERFECT FOR

INDOOR FIELDS

TRAINING FACILITIES

sizes

15 ft. x 50 ft.
15 ft. x 100 ft.

Custom sizes available
Available in rolls

face construction

Tufted fibres

face material

Polyethylene

backing

Foam

face weight

0.25 lbs./sq. ft.

thickness


14.5 mm. (9/16 in.) pile height*

colour(s)





9 colours

warranty

8 year



SWATCHES



*Thicker backing available.

The colour flecks are CMYK representations only and are not for colour matching purposes.

GymPro eco-roll and eco-tile

ECO-ROLL • GYM FLOOR PROTECTION

Ideal solution for multiplying the usability of your gymnasium. The Eco-Roll gives you the protection you need when hosting non-athletic events. Its top surface provides a high-end look that is easy to clean while the thermal plastic backing keeps the mat stable and flat. Unlike other roll products that may wrinkle and create tripping hazards, the Eco-Roll will stay flat and smooth when placed properly with the associated Lay-Up Racking System.

PERFECT FOR

GYMNASIUMS

MULTI-PURPOSE ROOMS

sizes

6 ft. x custom length

face material

Recycled PET fibre

face style

Dilour

total weight

0.11 lbs./sq.ft.

thickness

1/8 in. (3.175 mm.)


colour(s)

Charcoal

warranty

3 year

Available in rolls



ECO-TILE

The Eco-Tile offers a high level of protection for your hardwood floor while withstanding everything from street shoes to chairs. The top surface provides a high-end look that is easy to clean and the thermal plastic backing keeps the mat stable and flat. The tile system offers great flexibility for how you cover your floor and can be installed quickly.

PERFECT FOR

GYMNASIUMS

MULTI-PURPOSE ROOMS

sizes

35 in. x 70 in.

face material

Recycled PET fibre

face style

Dilour

total weight

2.53 kg./sq.m. (0.52 lbs./sq.ft.)

thickness


1/4 in. (6.35 mm.)

colour(s)

Charcoal

warranty

7 year



weight lifting platform

ABSORBS IMPACT AND VIBRATIONS

Edgewood Athletics provides fitness centres and home gyms with the answer to heavy weight drops. Our weight lifting platform protects your floors with maple hardwood centre sections, and can be ordered with impact zone sound dampening tiles that reduce noise by up to 30%.

PERFECT FOR

OLYMPIC AND POWER
LIFTING STATIONS

sizes

6 ft. x 8 ft.

Custom sizes available
Ships in sections
Assembly required

SWATCHES

BLACK RUBBER

construction

Multi-layer construction; sound dampening rubber base, rubber impact zone top surface, hardwood centre section

face style

Smooth

edging

Steel frame

thickness

2.25 in. (57.15 mm.)

colour(s)

Black

warranty

1 year



edgewood accessories

PROTECT AND ENHANCE

We can help you enhance the look of your sports flooring—and protect it. Our accessories include transitions, adhesives, cleaners and sealers. Everything you need to keep your floor looking its best.



PROFI 3.78 L. (1 gal.)
Non-ionic oil and grease remover for cleaning all resilient and synthetic rubber flooring. An integral part of a comprehensive floor care program for cleaning, stripping and sealing rubber floors.



WIWAX 3.78 L. (1 gal.)
A unique blend of waxes, polymers and detergents to effectively clean and maintain rubber, linoleum, asphalt, marble and slate flooring. An integral part of a comprehensive floor care program for cleaning, stripping and sealing rubber floors.



RF BOND IT 2P 9.46 L. (2.5 gal.)
A two-part rubber flooring adhesive that is water-free, solvent-free and low-VOC. Perfect for permanent rubber floors. One pail covers approximately 150–180 sq. ft. with a 1/16 in. x 1/16 in. x 1/16 in. square-notched trowel.

EDGEWOOD EXCLUSIVE EDGING

This edging is soft and flexible, allowing the sports flooring to be rolled for storage or shipping, and returns to lie flat when needed.

Regular Duty: 2.5 oz./lin. ft. and 100 ft. lengths*

Heavy Duty: 3.5 oz./lin. ft. and 100 ft. lengths*

Super Duty: 6.5 oz./lin. ft. and 36 ft. lengths*

UltraFlex: 6.4 oz./lin. ft. and 36 ft. lengths*

*Cuts available

CARTSMART EDGING

This edging can withstand cart traffic and complies with handicap accessible requirements.

Regular Duty
(3/8 in. thick)

3.5 in. x 12 ft. lengths

3.5 in. x 14 ft. lengths

Heavy Duty
(1/2 in. thick)

4.25 in. x 12 ft. lengths

4.25 in. x 14 ft. lengths

MORE ACCESSORIES

Super Double Sided Installation Tape: 2 in. (50.8 mm.) x 75 ft. (22.86 m.) (Clear only)

Trowel: Spreader #31: 9 in. x (1/16 in. x 1/16 in. x 1/16 in.) square-notched

Seam Holding Tape: 60 mm. x 66 m. (Red only)



edmonton

18120 109 Ave. NW
Edmonton, AB
T5S 2K2

T : 780.466.2084
F : 780.468.9104

vancouver

Unit 407
19100 Airport Way
Pitt Meadows, BC
V3Y 0E2

T : 604.465.4467
F : 604.465.4400

toronto

45 Armthorpe Rd.
Brampton, ON
L6T 5M4

T : 905.793.1084
F : 905.793.8504

inquiries@edgewoodgroup.ca
canada-wide toll free: 1.800.668.1776

Apollo™ fitness tile, Solstice™ fitness tile, Solstice™ DLX fitness tile and Constellation™ fitness tile with Ever-flex™ wear layer are all trademarks owned by Edgewood Matting Ltd.

The product descriptors are based on information provided by manufacturers and, to our knowledge, are accurate and factual at the time of printing. There may be some minor variations between the pictures and the products sold.